


FOUR-POST ALIGNMENT & STORAGE LIFTS

Four-post and parking lifts, 3.5 - 5.5 t

FACTORY DIRECT | IMPORT COSTS INCLUDED | 220 V | 380 V

R90 508

Approximate · landed and cleared, collected from our Johannesburg warehouse. Confirmed on your quotation and fixed for its validity period.

Choose your model 6 available

○ OJ-735 four-post, 4 t, 4.2 m or 4.5 m platforms, manual/air lock	**R125 105**
○ OJ-735 four-post, 4 t, 5.0 m platforms	**R128 522**
○ OJ-755 four-post, 5.5 t, 5.0 m platforms	**R161 752**
◉ SDJ-3500K parking lift, 3.5 t, 1.8 m (stack two cars)	**R90 508**
○ SDJ-4500K double-wide parking lift, 3.5 t (two cars side by side)	**R159 360**
○ SDJ-4500K double-wide parking lift, 4.5 t	**R199 682**

Made for your order, shipped by sea
Sea freight alone takes 35–45 days. We confirm the delivery date with the factory within one working day of your order.

Inspected by us, then collected or delivered
We check every order at our warehouse before it goes to you. Collect it free from our Johannesburg warehouse, or we deliver anywhere in South Africa and

to neighbouring countries, and the delivery is charged at cost.

Pay only into our company account
Against a written quotation, into the Nedbank business account in the company's registered name.

Registered South African company
Tryg Enterprises (Pty) Ltd, reg. 2026/621598/07. Faulty goods are repaired, replaced or refunded: delivery, returns and warranty.

Ask on WhatsApp | Spec sheet (PDF)

Four-post drive-on lifts for servicing and wheel alignment, and parking lifts that stack a second car above the first, including double-wide models that park two cars side by side above two more. Manual or air lock release.

SPECIFICATION

WHAT YOU ARE GETTING

Capacity	3.5 t to 5.5 t by model
Lifting height	1.7 m to 2.14 m by model
Platforms	4.2 m, 4.5 m or 5.0 m (four-post); 4.2 m to 5 m (parking)
Power	2.2 kW hydraulic power unit; 230 V single-phase or 400 V three-phase, 50 Hz -- specify on order
Installation	Bolts to a level reinforced-concrete floor to the manufacturer's foundation drawing (sent with your quote). Have it installed and inspected by a competent person before use, as the OHS Act requires for lifting machinery
Warranty	Manufacturer's warranty confirmed on your quote
Branding	Supplied under the maker's brand; TRYG own-brand available on volume orders
Options	6 lifts below
OJ-735 four-post, 4 t, 4.2 m or 4.5 m platforms, manual/air lock	approx R125,105
OJ-735 four-post, 4 t, 5.0 m platforms	approx R128,522
OJ-755 four-post, 5.5 t, 5.0 m platforms	approx R161,752
SDJ-3500K parking lift, 3.5 t, 1.8 m (stack two cars)	approx R90,508
SDJ-4500K double-wide parking lift, 3.5 t (two cars side by side)	approx R159,360

SDJ-4500K double-wide parking lift, 4.5 t	approx R199,682
Rolling jack with manual pump (parking lifts)	add approx R17,768
Rolling jack with air pump (parking lifts)	add approx R19,477
Lead time	Confirmed on your quote (sea freight alone is 35-45 days)

Specifications are as supplied by the manufacturer and confirmed at inspection before shipping. Tell us the job and we will confirm this is the right machine for it, or say if it is not.

Spec sheet: Four-post and parking lifts, 3.5 - 5.5 t · https://www.tryg.co.za/products/four-post-lifts

Prices are approximate, landed and cleared in South Africa; confirmed on your quotation and fixed for its validity period. Payment terms are on your quotation; pay only into our company account.

Tryg Enterprises (Pty) Ltd · Reg. 2026/621598/07 · 7 Wagen Road, Estcourt, KwaZulu-Natal, 3310 · sales@tryg.co.za · +27 68 940 7376