

JAW CRUSHERS

Jaw crushers, PE250x400 to PE600x900 and PEX250x1000 (5 - 160 t/h)

FACTORY DIRECT | IMPORT COSTS INCLUDED | 380 V

R201 283

Approximate · landed and cleared, collected from our Johannesburg warehouse. Confirmed on your quotation and fixed for its validity period.

Choose your model 6 available

(●) PE250×400 jaw crusher, 5 - 25 t/h, 15 kW	**R201 283**
( ) PE300×500 jaw crusher, 10 - 30 t/h, 18.5 kW	**R376 233**
( ) PE400×600 jaw crusher, 20 - 60 t/h, 30 kW	**R529 383**
( ) PE500×750 jaw crusher, 40 - 110 t/h, 55 kW	**R731 217**
( ) PE600×900 jaw crusher, 50 - 160 t/h, 75 kW	**R1 084 600**
( ) PEX250×1000 fine jaw crusher, about 50 t/h, 30 kW	**R524 600**

Made for your order, shipped by sea
Sea freight alone takes 35–45 days. We confirm the delivery date with the factory within one working day of your order.

Inspected by us, then collected or delivered

We check every order at our warehouse before it goes to you. Collect it free from our Johannesburg warehouse, or we deliver anywhere in South Africa and to neighbouring countries, and the delivery is charged at cost.

Pay only into our company account
Against a written quotation, into the Nedbank business account in the company's registered name.

Registered South African company
Tryg Enterprises (Pty) Ltd, reg. 2026/621598/07. Faulty goods are repaired, replaced or refunded: delivery, returns and warranty.

Ask on WhatsApp | Spec sheet (PDF)

Single-toggle jaw crushers for small and mid-size quarries, mines and construction rubble: five PE primary crushers from 5 to 160 t/h, taking rock up to 500 mm, and the PEX250×1000 fine jaw crusher for the secondary cut. Each is supplied with its 400 V three-phase electric motor fitted, and the jaw plates, cheek plates and toggle plates are available as spares for each model.

SPECIFICATION

WHAT YOU ARE GETTING

PE250×400	Feed opening 250 × 400 mm, max feed 210 mm, output 20 - 70 mm, 5 - 25 t/h, 15 kW, packed 1100 × 1030 × 1310 mm, 1.9 t
PE300×500	Feed opening 300 × 500 mm, max feed 270 mm, output 30 - 80 mm, 10 - 30 t/h, 18.5 kW, packed 1475 × 1250 × 1490 mm, 3.5 t
PE400×600	Feed opening 400 × 600 mm, max feed 340 mm, output 40 - 100 mm, 20 - 60 t/h, 30 kW, packed 1600 × 1680 × 1650 mm, 5.3 t
PE500×750	Feed opening 500 × 750 mm, max feed 425 mm, output 50 - 110 mm, 40 - 110 t/h, 55 kW, packed 1980 × 1950 × 1970 mm, 9.2 t
PE600×900	Feed opening 600 × 900 mm, max feed 500 mm, output 65 - 160 mm, 50 - 160 t/h, 75 kW, packed 2450 × 2120 × 2430 mm, 15.0 t
PEX250×1000	Fine jaw crusher for the secondary cut: feed opening 250 × 1000 mm, about 50 t/h, 30 kW, packed 1530 × 2000 × 1410 mm, 5.3 t
Motor	Electric motor fitted and included in the price (400 V, 50 Hz, three-phase)
Wear parts	Jaw plates, cheek plates and toggle plates matched to each model, available as spares

Complete lines	Feeder, jaw, cone or impact crusher and screen are sized together on one quote; a full line ships together, which brings the freight per machine down
Options	6 models below
PE250×400 jaw crusher, 5 - 25 t/h, 15 kW	approx R201,283
PE300×500 jaw crusher, 10 - 30 t/h, 18.5 kW	approx R376,233
PE400×600 jaw crusher, 20 - 60 t/h, 30 kW	approx R529,383
PE500×750 jaw crusher, 40 - 110 t/h, 55 kW	approx R731,217
PE600×900 jaw crusher, 50 - 160 t/h, 75 kW	approx R1,084,600
PEX250×1000 fine jaw crusher, about 50 t/h, 30 kW	approx R524,600
Lead time	Confirmed on your quote (sea freight alone is 35-45 days)

Specifications are as supplied by the manufacturer and confirmed at inspection before shipping. Tell us the job and we will confirm this is the right machine for it, or say if it is not.

Spec sheet: Jaw crushers, PE250×400 to PE600×900 and PEX250×1000 (5 - 160 t/h) · https://www.tryg.co.za/products/jaw-crushers-pe250-to-pe600

Prices are approximate, landed and cleared in South Africa; confirmed on your quotation and fixed for its validity period. Payment terms are on your quotation; pay only into our company account.

Tryg Enterprises (Pty) Ltd · Reg. 2026/621598/07 · 7 Wagen Road, Estcourt, KwaZulu-Natal, 3310 · sales@tryg.co.za · +27 68 940 7376