

JAW CRUSHERS

Jaw crushers, PE and PEX (50 - 180 t/h primary, fine secondary)

FACTORY DIRECT | IMPORT COSTS INCLUDED | 380 V

R698 162

Approximate · landed and cleared, collected from our Johannesburg warehouse. Confirmed on your quotation and fixed for its validity period.

Choose your model 4 available

◉ PEX250×1200 fine jaw crusher, 15 - 50 t/h	**R698 162**
○ PEX300×1300 fine jaw crusher, 20 - 70 t/h	**R933 028**
○ PE600×900 jaw crusher, 50 - 150 t/h	**R1 140 650**
○ PE750×1060 jaw crusher, 100 - 180 t/h	**R1 889 907**

Made for your order, shipped by sea
Sea freight alone takes 35–45 days. We confirm the delivery date with the factory within one working day of your order.

Inspected by us, then collected or delivered
We check every order at our warehouse before it goes to you. Collect it free from our Johannesburg warehouse, or we deliver anywhere in South Africa and to neighbouring countries, and the delivery is charged at cost.

Pay only into our company account
Against a written quotation, into the Nedbank business account in the company's registered name.

Registered South African company
Tryg Enterprises (Pty) Ltd, reg. 2026/621598/07. Faulty goods are repaired, replaced or refunded: delivery, returns and warranty.

Ask on WhatsApp | Spec sheet (PDF)

Robust single-toggle jaw crushers for quarries, mines and construction rubble. The PE models are primary crushers taking rock up to 630 mm; the PEX fine jaw crushers make the secondary cut down to 25 mm. Handles hard rock up to 320 MPa: granite, basalt, iron ore, limestone and concrete.

SPECIFICATION

WHAT YOU ARE GETTING

PE600×900	Feed opening 600 × 900 mm, max feed 520 mm, output 65 - 130 mm, 50 - 150 t/h, 75 kW, 2240 × 2128 × 2530 mm, 16.6 t
PE750×1060	Feed opening 750 × 1060 mm, max feed 630 mm, output 80 - 140 mm, 100 - 180 t/h, 110 kW, 2538 × 2350 × 2782 mm, 26.1 t
PEX250×1200	Feed opening 250 × 1200 mm, max feed 210 mm, output 25 - 60 mm, 15 - 50 t/h, 37 kW, 1495 × 2125 × 1400 mm
PEX300×1300	Feed opening 300 × 1300 mm, max feed 250 mm, output 25 - 90 mm, 20 - 70 t/h, 75 kW, 1670 × 2156 × 1550 mm
Rock	Compressive strength up to 320 MPa
Motor	Electric motor included in the price (380-400 V three-phase)
Complete lines	Feeder, jaw, cone or impact crusher and screen are sized together on one quote; a full line ships together, which brings the freight per machine down
Options	4 models below
PEX250×1200 fine jaw crusher, 15 - 50 t/h	approx R698,162
PEX300×1300 fine jaw crusher, 20 - 70 t/h	approx R933,028
PE600×900 jaw crusher, 50 - 150 t/h	approx R1,140,650
PE750×1060 jaw crusher, 100 - 180 t/h	approx R1,889,907
Lead time	Confirmed on your quote (sea freight alone is 35-45 days)

Specifications are as supplied by the manufacturer and confirmed at inspection before shipping. Tell us the job and we will confirm this is the right machine for it, or say if it is not.

Prices are approximate, landed and cleared in South Africa; confirmed on your quotation and fixed for its validity period. Payment terms are on your quotation; pay only into our company account.

Tryg Enterprises (Pty) Ltd · Reg. 2026/621598/07 · 7 Wagen Road, Estcourt, KwaZulu-Natal, 3310 · sales@tryg.co.za · +27 68 940 7376