


PETROL SHORT-COURSE TRUCKS

1/5 petrol RC short-course trucks (36 - 45 cc, ready to run)

FACTORY DIRECT | IMPORT COSTS INCLUDED

R34 348

Approximate · air freight, duty and clearing included, collected from our Johannesburg warehouse. Confirmed on your quotation and fixed for its validity period.

Choose your model 6 available

(●) LT entry: 36 cc, 4WD	**R34 348**
( ) WLT entry: 36 cc, 4WD	**R34 348**
( ) BLT: 36 cc dual-ring, rear-wheel drive	**R38 792**
( ) T5 (black or blue): 36 cc dual-ring, 4WD	**R41 900**
( ) LT450: 45 cc, 4WD, 9-channel colour LCD remote	**R45 010**
( ) WLT450: 45 cc, 4WD, 9-channel colour LCD remote	**R45 232**

Arrives in about 12–14 days
By air from the factory's stock to our warehouse, duties paid.
Order today: expected at our warehouse Fri, 04 Dec to Sun, 06 Dec.

Inspected by us, then collected or delivered
We check every order at our warehouse before it goes to you. Collect it free from our Johannesburg warehouse, or we deliver anywhere in South Africa and

to neighbouring countries, and the delivery is charged at cost.

Pay only into our company account
Against a written quotation, into the Nedbank business account in the company's registered name.

Registered South African company
Tryg Enterprises (Pty) Ltd, reg. 2026/621598/07. Faulty goods are repaired, replaced or refunded: delivery, returns and warranty.

Ask on WhatsApp | Spec sheet (PDF)

Big petrol short-course trucks with a full body, wide stance and large nail-pattern tyres: built to take jumps, rough ground and bashing. Four-wheel drive on most models, 60 kg metal-gear servos and a 4,500 mAh receiver battery. Ready to run with a 2.4 GHz remote.

SPECIFICATION

WHAT YOU ARE GETTING

Scale	1/5 (large-scale RC)
Engine	Two-stroke, air-cooled, single cylinder: 36 cc or 45 cc dual-ring (Walbro carburettor, NGK plug)
Drive	Four-wheel drive shaft transmission (BLT: rear-wheel drive), 8,000 rpm clutch
Size	About 965 × 527 × 311 mm, wheelbase 610 mm (T5 860 × 480 × 350 mm)
Servos	60 kg metal-gear throttle and steering servos (T5: dual 40 kg digital steering servos)
Remote	2.4 GHz 6-channel; LCD remote on the BLT and T5, 9-channel colour LCD on the 450 models
Weight	About 17 - 18.5 kg net
In the box	Car, 2.4 GHz remote control, receiver battery and the maker's oil pack; add petrol and two-stroke oil
Fuel	Petrol mixed with two-stroke oil (the maker's ratio is in the manual)
Spares	Spare parts and upgrade kits from the same maker; ask us for the part you need
Shipping	By air (duties paid); the engine is new and has never held fuel
Options	6 models below
LT entry: 36 cc, 4WD	approx R34,348
WLT entry: 36 cc, 4WD	approx R34,348

BLT: 36 cc dual-ring, rear-wheel drive	approx R38,792
T5 (black or blue): 36 cc dual-ring, 4WD	approx R41,900
LT450: 45 cc, 4WD, 9-channel colour LCD remote	approx R45,010
WLT450: 45 cc, 4WD, 9-channel colour LCD remote	approx R45,232
By air	About 12–14 days to our warehouse, from the factory's stock, duties paid (DDP)

Specifications are as supplied by the manufacturer and confirmed at inspection before shipping. Tell us the job and we will confirm this is the right machine for it, or say if it is not.

Spec sheet: 1/5 petrol RC short-course trucks (36 - 45 cc, ready to run) · https://www.tryg.co.za/products/petrol-rc-short-course-trucks-1-5

Prices are approximate, landed and cleared in South Africa; confirmed on your quotation and fixed for its validity period. Payment terms are on your quotation; pay only into our company account.

Tryg Enterprises (Pty) Ltd · Reg. 2026/621598/07 · 7 Wagen Road, Estcourt, KwaZulu-Natal, 3310 · sales@tryg.co.za · +27 68 940 7376